LEXIANG TOOLS

Concrete Equipment Product Catalog

Electric and cordless vibrators, flexible shafts, mixers, screeds and finishing tools.

Ningbo Lexiang Trading Co., Ltd.

12 reference models · wholesale inquiry support

Concrete Vibration



MODEL X6351

Electric Concrete Vibrator

Compact handheld vibrator for slabs, beams and columns.

Power / supply	900W
Speed / operation	4200 r/min



MODEL 6354

High-Speed Concrete Vibrator

Electric vibrator for dependable concrete consolidation.

Power / supply	1300W
Speed / operation	High speed

Concrete Vibration



MODEL 6501

Electric Concrete Vibrator

Heavy-duty unit for demanding jobsite conditions.

Power / supply	2000W
Speed / operation	By configuration



MODEL 8601

Frame-Mounted Concrete Vibrator

Frame-mounted unit for intensive construction work.

Power / supply	2400W
Speed / operation	By configuration

Concrete Vibration



MODEL LD8351

Cordless Concrete Vibrator

Battery-powered option for mobility without a mains cable.

Power / supply	36V battery
Speed / operation	3800 r/min



MODEL 35-3

Portable Concrete Vibrator

Portable electric vibrator for everyday concrete placement.

Power / supply	900W
Speed / operation	By configuration

Concrete Vibration



MODEL PVC6026

Heavy-Duty Concrete Vibrator

High-output unit for large concrete pours.

Power / supply	3200W
Speed / operation	By configuration



MODEL M3

Electric Mixer

Variable-speed mixer for mortar and compatible materials.

Power / supply	2200W
Speed / operation	0–1200 r/min

Mixing & Shafts



MODEL Flexible Shaft

Vibrator Shaft & Coupling

Flexible shaft and connection choices for placement depth.

Power / supply	Multiple options
Speed / operation	Matched to drive unit



MODEL Vibrating Screed

Concrete Vibration Screed

Walk-behind screed for leveling fresh concrete.

Power / supply	By configuration
Speed / operation	Adjustable operation

Concrete Finishing



MODEL Flat-Plate Trowel

Flat-Plate Vibrating Trowel

Tool for concrete surface finishing.

Power / supply	220V
Speed / operation	By configuration



MODEL Telescopic Trowel

Telescopic Wall Trowel

Extended-reach wall finishing tool.

Power / supply	By configuration
Speed / operation	Adjustable reach

Request a model-specific quotation

Share the model, required voltage and frequency, quantity, preferred packing and destination market. Our team will confirm compatibility and commercial terms in writing.

Phone
+86 189 0661 8059

Email
mather1122@sina.com

Website
https://lexiang.sitxo.com/

FOB port, payment method, minimum order quantity and lead time vary by order and are confirmed in the quotation or sales contract.